

# KC COUPLING COEFFICIENTS - HYDROCLIMA-2



ID	HEATER TYPE	COUPLING COEFFICIENTS					
		KC - STANDARD			KC - EXTERNAL REMOTE SENSOR		
		50%	75%	66%	50%	75%	66%
1	KERMI - Therm x2	0,94	0,87	0,90	1,08	0,99	1,02
2	T1	-	0,92	0,96	-	1,13	1,17
3	TA-1	-	0,97	1,01	-	1,15	1,19
4	Harzer Werke - SR	0,90	0,83	0,86	1,17	1,06	1,09
5	DIAMOND - Vulkan	1,05	0,99	1,03	1,33	1,18	1,22
6	Enix - Aster	-	1,31	-	-	1,44	-
7	Varis - Eurora Rondo	-	1,26	-	-	1,48	-
8	Varis - Eurora	-	1,27	-	-	1,56	-
9	M-140	-	0,97	1,01	-	1,15	1,19
10	S-130	0,90	0,83	0,86	1,17	1,06	1,09
11	K1	-	0,83	0,86	-	1,06	1,09
12	PURMO - Compact	1,07	1,00	1,03	1,10	1,00	1,03
13	IDMAR - Lider	1,12	1,04	1,08	1,32	1,18	1,22
14	KFA - G 500F	1,12	1,04	1,08	1,32	1,18	1,22
15	INSTAL Projekt - Standard	-	1,31	-	-	1,44	-
16	RADSON - Santorini C	-	1,26	-	-	1,48	-
17	PURMO - Java	-	1,27	-	-	1,56	-
18	Herkunftsland - GZ-2	-	0,98	-	-	1,19	-
19	Herkunftsland - GZ-3	-	0,87	-	-	1,16	-
20	Herkunftsland - GZ-4	-	0,85	-	-	1,11	-
21	PURMO - Compact	1,11	1,10	1,14	1,30	1,24	1,28
22	MS-140	-	1,10	1,15	-	1,33	1,38
23	Thermal Trend Typ K	-	1,31	-	-	1,44	-
24	Thermal Trend Typ KO	-	1,26	-	-	1,48	-
25	Baufa Classic	0,94	0,91	0,93	1,08	0,99	1,02
26	Biasi BAC	0,92	0,87	0,89	1,09	1,00	1,03
27	National Classic	0,94	0,87	0,90	1,21	1,10	1,13
28	Buderus Radiaplan	0,90	0,87	0,89	1,11	1,01	1,04
29	ZDB Kalor 3 / Viadrus Kalor 3	0,90	0,87	0,89	1,11	1,01	1,04
30	ZDB Termo / Viadrus Termo	0,90	0,87	0,89	1,11	1,01	1,04
31	Bulgarien P1/73 P2/73 P3/73	0,94	0,91	0,93	1,08	0,99	1,02
32	Bulgarien P1/87 P2/87 P3/87	0,92	0,87	0,89	1,09	1,00	1,03
33	Bulgarien Gussheizkörper - 60mm	1,18	1,11	1,14	1,29	1,21	1,25
34	ZDB Kalor / Viadrus Kalor	1,18	1,11	1,14	1,29	1,21	1,25
35	ZDB Kalor 1 / Viadrus Kalor 1	1,18	1,11	1,14	1,29	1,21	1,25
36	Bulgarien Stahl-Plattenradiator	1,07	1,00	1,03	1,10	1,00	1,03
37	Korado Klasik	1,07	1,00	1,03	1,10	1,00	1,03
38	Bulgarien Gussheizkörper - 50mm	0,94	0,87	0,90	1,21	1,10	1,13
39	Viadrus Hellas	0,94	0,87	0,90	1,21	1,10	1,13
40	Ideal - Standard Neolis	0,94	0,87	0,90	1,21	1,10	1,13
41	Ideal - Standard Neo Classic	0,94	0,87	0,90	1,21	1,10	1,13
42	Ideal - Standard Fenster Radiator	0,94	0,87	0,90	1,21	1,10	1,13
43	Ideal Klima - Tema	0,90	0,87	0,90	1,11	1,01	1,04
44	Irsap Irsol - Tesi	1,10	1,01	1,05	1,24	1,12	1,16
45	Faral - Alba	1,12	1,04	1,08	1,32	1,18	1,22
46	Steel - with internal fins	1,06	1,03	1,06	1,06	0,98	1,01
47	Hydson Reed - Revive	-	1,09	1,13	-	1,20	1,24
48	Baxi - Steel	-	0,96	1,00	-	1,09	1,13
49	Antrax - AV25s / AV25d	-	0,91	0,94	-	1,10	1,14
50	Zehnder/Agis - UNO	-	0,91	0,94	-	1,10	1,14
51	Aluminium - Dubal 30-45-60-70-80	1,12	1,04	1,08	1,32	1,18	1,22
52	Aluminium - Ferroli Europa C (450-600-700-800-900)	1,12	1,04	1,08	1,32	1,18	1,22
53	Aluminium - Fondital Sahara Super (350/100, 500/100, 600/100,700/100, 800/100)	1,12	1,04	1,08	1,32	1,18	1,22
54	Cast iron - Clasico (N33, N46, N61, N80, N95)	0,90	0,87	0,90	1,11	1,21	1,25
55	Cast iron - Duba 2 columns (N61, N80)	0,90	0,87	0,89	1,11	1,01	1,04
56	Cast iron - Clasico with supports (N33, N46, N61, N80, N95)	0,90	0,87	0,90	1,11	1,21	1,25


ID	HEATER TYPE	COUPLING COEFFICIENTS					
		KC - STANDARD			KC - EXTERNAL REMOTE SENSOR		
		50%	75%	66%	50%	75%	66%
57	HM Classic K	1,07	1,00	1,03	1,10	1,00	1,03
58	Baykan Panel Radiator	1,07	1,00	1,03	1,10	1,00	1,03
59*	2-3 Column steel - Roca 60-75	-	0,96	1,00	-	1,09	1,13
60*	Steel - Roca Adra 11S (400-500-600-700) Steel - Roca Adra 22 S (400-500-600-700)	1,07	1,00	1,03	1,10	1,00	1,03
61*	Steel - Adraplan 600 S	1,11	1,10	1,14	1,30	1,24	1,28
62*	Aluminium - Ferroli Xian N (450-600-700-800)	1,12	1,04	1,08	1,32	1,18	1,22
63*	PURMO - Ventil Compact 11,22,33	1,11	1,10	1,14	1,30	1,24	1,28
64*	Aluminium Fondital Aleternum	1,12	1,04	1,08	1,32	1,18	1,22
65*	Aluminium Faral	1,12	1,04	1,08	1,32	1,18	1,22
66*	DeLonghi Radel Steel Panel	1,11	1,10	1,14	1,30	1,24	1,28
67*	Termolux Classic	1,11	1,10	1,14	1,30	1,24	1,28
68	Regulus System R6	1,26	1,15	1,20	1,50	1,31	1,37
69	Jaga mini type 20	-	-	-	1,30	-	-
70	Santech prom konwektor II	-	1,09	-	-	1,59	-
71	Jaga mini type 10,15	-	-	-	1,30	-	-

\* coefficients estimated by Bmeters





13



14




15




16



17



18




19




20



21



22



23



24



25



26



27




28




29




30



31



32




33



34



35



36




37



38




39




40



41



42



43



44




45



46



47



48



49



50



51




52



53



54



55




56




57




58



59



60



61



62



63



64



65



66



67



68



69



70



71